











Enviro Vix The Tand



## Ready to tackle YOUR WASTE MANAGEMENT CHALLENGES

It's clean, it's innovative, and it works!

EnviroWirx is a 7yd., semi-underground waste container manufactured and distributed in North America.

EnviroWirx was designed to solve the common problems associated with traditional waste containment, removal, and management.

EnviroWirx has proven successful in property management, fast food, strip mall and parks and recreation applications.

EnviroWirx is a perfect fit for existing real-estate as well as new construction.













## Empty in 2 min. COLLECTION SIMPLIFIED

Watch EnviroWirx in action at YouTube/Envirowirx

- Driver approaches the EnviroWirx and inserts front forks through the steel handles.
- 2 Driver lifts straight up until bottom of EnviroWirx is clear from the liner.
- 3 Driver continues to lift while tilting the forks in the normal lifting procedure.
- 4 Driver tips and dumps the EnviroWirx bin slowly, allowing gravity to empty the waste.
- 5 Driver returns EnviroWirx to the upright position and places it back into the inground liner.

With EnviroWirx, the driver never leaves the truck.



#### Brand New!

#### 4.5 Yard Version

All of the advantages of the 7 yard bin:


SAVE SPACE

**SAVE MONEY** 

#### **IMPROVE APPEARANCE**







4.5YD SURFACE MOUNTED SHOWN WITHOUT CONCRETE RING



#### NO EXCAVATION REQUIRED



The 4.5 yard EnviroWirx waste container rests on a concrete ring (included), meaning you don't have to worry about digging down like with deep waste bins.





Not only does this convenience provide you the savings of excavation and installing barriers, it also allows you the option of placing your container wherever you please!



### Save Space

42% of EnviroWirx is underground and out of sight

EnviroWirx does not require a fenced enclosure or roof



EnviroWirx can be installed in visible areas designated as undesirable for steel bins

EnviroWirx holds
more waste in a
smaller footprint than a
standard steel dumpster





### Save Money

EnviroWirx can be **picked up by any hauler** with front forks, giving *you* the competitive advantage to **shop for a waste hauler that meets your needs** 



EnviroWirx has a pay load of 3,300lbs; holding more means *fewer* bins and less frequent pick ups

Envirowirx **does not require** replacement bags, liners, or parts, meaning *no future expenses* or unexpected costs

#### Improve Appearance

EnviroWirx holds waste underground where temperatures are cooler in the summer and warmer in the winter

Cooler sub-surface temperatures reduce odour emission

Warmer sub-surface temps mitigate freezing

Aesthetically pleasing,
EnviroWirx can be located
in high visibility areas
minimizing dumping of
unwanted items

EnviroWirx unique concave ridge surface container is a deterant for grafitti and spray paint vandalism

EnviroWirx has a *secure lid* designed to **keep wildlife**, *from raccoons to wasps*, **out of the unit** 















#### Simplify the Process

EnviroWirx can be **picked up by any Hauler**, meaning you can continue uninterrupted service with your existing carrier

EnviroWirx can be installed in a few hours and used immediately

Install yourself or use our installation service

Drivers love EnviroWirx because they **do not** have to **leave the truck** or handle the container



EnviroWirx Bins are **emptied** in under 2 minutes

#### Weight Estimates

**Reference Only** - 7yd<sup>3</sup> of same material

Aluminium Cans - uncompacted
Aluminium Cans - compacted
Broken Down Boxes
Commercial / Industrial Waste - uncompacted
Glass

Leaves - compacted

Loam (compost)

Mud (very wet compost)

Newspaper - loose

Residential Waste - uncompacted

Average pick up weight per yard: (standard number used by haulers)

Average pick up weight per yard of an EnviroWirx 7yd³ bin is:


50lbs / 23kg 1,400 lbs / 520 kgs 1,050 lbs / 475 kgs 3,150 lbs / 1,430 kgs 3,500 lbs / 1,590 kgs 3,150 lbs / 1,430 kgs 15,120 lbs / 6,860 kgs 20,790 lbs / 9,430 kgs 2,800 lbs / 1,270 kgs 1,400 lbs / 635 kgs

110 lbs/yd<sup>3</sup> 50 kgs/yd<sup>3</sup>

770 lbs/yd<sup>3</sup> 350 kgs/yd<sup>3</sup>



#### Measurements





designed and manufactured in-house by RTS Companies




self-compacting design



over 200 EnviroWirx installed

#### Photo Gallery



# Notes

# Notes

#### www.EnviroWirx.com









### Enviro Vírx<sup>m</sup>

Canada. 1027 Industrial Place. St. Clements. ON. NOB 2M0 800.663.2803 USA. 2900 Industrial Park Dr. Austinburg OH. 44010 800.663.2803